| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|----------|--------|--|-------------------|---------------------|---------|------------------|
| L1 | 17136 | (firewall\$1 prox\$3) and (map\$3 match\$3 link\$3 correspond\$3 associat\$4 predetermin\$8) | USPAT; IBM_TDB | OR | OFF | 2007/05/09 15:25 |
| L2 | 23923 | (virtual\$2) near3 (host\$2 computer\$1 machine\$1 provider\$1 server\$1 network\$3) | USPAT; IBM_TDB | OR | OFF | 2007/05/09 15:25 |
| L3 | 3687 | L1 and L2 | USPAT; IBM_TDB | OR | OFF | 2007/05/09 15:25 |
| L4 | 692 | L3 and (dns (domain\$1 near2 name\$1 near2 server\$1)) | USPAT; IBM_TDB | OR | OFF | 2007/05/09 15:25 |
| L5 | 692 | L3 AND L4 | USPAT; IBM_TDB | OR | OFF | 2007/05/09 15:25 |
| L6 | 670 | L5 and (ip (internet\$1 near2 protocol\$1)) | USPAT; IBM_TDB | OR | OFF | 2007/05/09 15:25 |
| L7 | 344902 | (connect\$4 request\$4) near4 (map\$3 match\$3 link\$3 correspond\$3 associat\$4 predetermin\$8) | USPAT; IBM_TDB | OR | OFF | 2007/05/09 15:25 |
| L8 | 504 | L6 and L7 | USPAT; IBM_TDB | OR | OFF | 2007/05/09 15:25 |
| L9 | 499 | L8 and (configur\$7 interfac\$4) | USPAT; IBM_TDB | OR | . OFF | 2007/05/09 15:25 |
| L10 | 52628 | loadshar\$4 ((load\$2 packet\$1) near3 (shar\$3 balanc\$3 distribut\$4)) | USPAT; IBM_TDB | OR | OFF | 2007/05/09 15:25 |
| L11 | 307 | L9 and L10 | USPAT; IBM_TDB | OR | OFF | 2007/05/09 15:25 |
| L12 | 1640 | (set\$1 pluralit\$4 many couple) near2 L2 | USPAT; IBM_TDB | OR | OFF | 2007/05/09 15:25 |
| L13 | 37 | L11 and L12 | USPAT; IBM_TDB | OR | OFF | 2007/05/09 15:25 |
| L14 | 252 | L1 and L12 | USPAT; IBM_TDB | OR | OFF | 2007/05/09 15:25 |
| L15 | 67 | L14 and (dns (domain\$1 near2 name\$1 near2 server\$1)) | USPAT; IBM_TDB | OR | OFF | 2007/05/09 15:25 |
| L16 | 256 | (firewall\$1 prox\$3) and L12 | USPAT; IBM_TDB | OR | OFF | 2007/05/09 15:25 |
| L17 | 67 | L16 and (dns (domain\$1 near2 name\$1 near2 server\$1)) | USPAT; IBM_TDB | OR | OFF | 2007/05/09 15:25 |
| L18 | 2667 | (set\$1 pluralit\$4 many couple) near5 L2 | USPAT; IBM_TDB | OR | OFF | 2007/05/09 15:25 |
| L19 | 409 | (firewall\$1 prox\$3) and L18 | USPAT; IBM_TDB | OR . | OFF | 2007/05/09 15:25 |
| L20 | 105 | L19 and (dns (domain\$1 near2 name\$1 near2 server\$1)) | USPAT; IBM_TDB | OR | OFF | 2007/05/09 15:25 |

| | | | | | * | |
|-----|--------|--|-------------------|------|-----|------------------|
| L22 | 363 | L6 and L10 | USPAT; IBM_TDB | OR | OFF | 2007/05/09 15:25 |
| L23 | . 296 | L22 not L20 | USPAT; IBM_TDB | OR | OFF | 2007/05/09 15:25 |
| L24 | 296 | L23 not L13 | USPAT; IBM_TDB | OR | OFF | 2007/05/09 15:25 |
| L25 | · 291 | connect\$4 and request\$4 and L24 | USPAT; IBM_TDB | OR | OFF | 2007/05/09 15:25 |
| L26 | 149 | (connect\$4 near3 request\$4) and L24 | USPAT; IBM_TDB | OR | OFF | 2007/05/09 15:25 |
| L27 | · 142 | L25 not L26 | USPAT; IBM_TDB | OR | OFF | 2007/05/09 15:25 |
| L28 | 551 | ((726/11) or (726/12) or (726/14) or (726/15)).CCLS. | USPAT; IBM_TDB | OR a | OFF | 2007/05/09 15:25 |
| L29 | 259 | L28 and virtual\$1 | USPAT; IBM_TDB | OR | OFF | 2007/05/09 15:25 |
| L30 | 178 | L29 and (firewall\$1 prox\$3) | USPAT; IBM_TDB | OR | OFF | 2007/05/09 15:25 |
| L31 | 178 | L30 and (server\$1 host\$3 network\$3) | USPAT; IBM_TDB | OR · | OFF | 2007/05/09 15:25 |
| L32 | 71 | L31 and (connect\$3 near3 request\$3) | USPAT; IBM_TDB | OR . | OFF | 2007/05/09 15:25 |
| L33 | 23923 | (virtual\$2) near3 (host\$2 computer\$1 machine\$1 provider\$1 server\$1 network\$3) | USPAT; IBM_TDB | OR | OFF | 2007/05/09 15:25 |
| L34 | 3707 | L33 and (firewall\$1 prox\$3) | USPAT; IBM_TDB | OR | OFF | 2007/05/09 15:25 |
| L35 | 57 | L32 and L33 | USPAT; IBM_TDB | OR | OFF | 2007/05/09 15:25 |
| L36 | 3327 | L34 and (connect\$3 and request\$3) | USPAT; IBM_TDB | OR | OFF | 2007/05/09 15:25 |
| L37 | 660 | L36 and (dns (domain\$1 near2 name\$1 near2 server\$1)) | USPAT; IBM_TDB | OR | OFF | 2007/05/09 15:25 |
| L38 | 344902 | (connect\$4 request\$4) near4 (map\$3 match\$3 link\$3 correspond\$3 associat\$4 predetermin\$8) | USPAT; IBM_TDB | OR | OFF | 2007/05/09 15:25 |
| L39 | 501 | L37 and L38 | USPAT; IBM_TDB | OR | OFF | 2007/05/09 15:25 |
| L40 | 57 | L35 and (firewall\$1 prox\$3) | USPAT; IBM_TDB | OR | OFF | 2007/05/09 15:25 |
| L41 | 159 | L37 not L39 | USPAT; IBM_TDB | OR | OFF | 2007/05/09 15:25 |
| L42 | 9609 | (virtual\$2) near2 (host\$2 server\$1 network\$3) | USPAT; IBM_TDB | OR | OFF | 2007/05/09 15:25 |

| | | | • | | | |
|-----|--------|--|-------------------|----|-----|------------------|
| L43 | 2317 | L42 and (firewall\$1 prox\$3) | USPAT; IBM_TDB | OR | OFF | 2007/05/09 15:25 |
| L44 | 3315 | L36 and (dns (domain\$1 near2 name\$1 near2 server\$1) map\$3 match\$3 link\$3 correspond\$3 associat\$4 predetermin\$8) | USPAT; IBM_TDB | OR | OFF | 2007/05/09 15:25 |
| L45 | 2312 | L43 and (dns (domain\$1 near2 name\$1 near2 server\$1) map\$3 match\$3 link\$3 correspond\$3 associat\$4 predetermin\$8) | USPAT; IBM_TDB | OR | OFF | 2007/05/09 15:25 |
| L46 | 2266 | L43 and (dns (domain\$1 near2 name\$1 near2 server\$1) map\$3 match\$3 associat\$4) | USPAT; IBM_TDB | OR | OFF | 2007/05/09 15:25 |
| L47 | 1959 | L43 and (dns (domain\$1 near2 name\$1 near2 server\$1) map\$3 match\$3 association\$1) | USPAT; IBM_TDB | OR | OFF | 2007/05/09 15:25 |
| L48 | 23923 | (virtual\$2) near3 (host\$2 computer\$1 machine\$1 provider\$1 server\$1 network\$3) | USPAT; IBM_TDB | OR | OFF | 2007/05/09 15:25 |
| L49 | 17136 | (firewall\$1 prox\$3) and (map\$3 match\$3 link\$3 correspond\$3 associat\$4 predetermin\$8) | USPAT; IBM_TDB | OR | OFF | 2007/05/09 15:25 |
| L50 | 3687 | L49 and L48 | USPAT; IBM_TDB | OR | OFF | 2007/05/09 15:25 |
| L51 | 692 | L50 and (dns (domain\$1 near2 name\$1 near2 server\$1)) | USPAT; IBM_TDB | OR | OFF | 2007/05/09 15:25 |
| L52 | 692 | L50 AND L51 | USPAT; IBM_TDB | OR | OFF | 2007/05/09 15:25 |
| L53 | 670 | L52 and (ip (internet\$1 near2 protocol\$1)) | USPAT; IBM_TDB | OR | OFF | 2007/05/09 15:25 |
| L54 | 344902 | (connect\$4 request\$4) near4 (map\$3 match\$3 link\$3 correspond\$3 associat\$4 predetermin\$8) | USPAT; IBM_TDB | OR | OFF | 2007/05/09 15:25 |
| L55 | 504 | L53 and L54 | USPAT; IBM_TDB | OR | OFF | 2007/05/09 15:25 |
| L56 | 499 | L55 and (configur\$7 interfac\$4) | USPAT; IBM_TDB | OR | OFF | 2007/05/09 15:25 |
| L57 | 9609 | (virtual\$2) near2 (host\$2 server\$1 network\$3) | USPAT; IBM_TDB | OR | OFF | 2007/05/09 15:25 |
| L58 | 2317 | L57 and (firewall\$1 prox\$3) | USPAT; IBM_TDB | OR | OFF | 2007/05/09 15:25 |
| L59 | 2266 | L58 and (dns (domain\$1 near2 name\$1 near2 server\$1) map\$3 match\$3 associat\$4) | USPAT; IBM_TDB | OR | OFF | 2007/05/09 15:25 |
| L60 | 2667 | (set\$1 pluralit\$4 many couple) near5 L48 | USPAT; IBM_TDB | OR | OFF | 2007/05/09 15:25 |

| | | | _ | | | |
|-----|--------|--|-------------------|----|-------|------------------|
| L61 | 409 | (firewall\$1 prox\$3) and L60 | USPAT; IBM_TDB | OR | OFF | 2007/05/09 15:25 |
| L62 | 105 | L61 and (dns (domain\$1 near2 name\$1 near2 server\$1)) | USPAT; IBM_TDB | OR | OFF | 2007/05/09 15:25 |
| L63 | 1640 | (set\$1 pluralit\$4 many couple) near2 L48 | USPAT; IBM_TDB | OR | OFF | 2007/05/09 15:25 |
| L64 | 256 | (firewall\$1 prox\$3) and L63 | USPAT; IBM_TDB | OR | OFF | 2007/05/09 15:25 |
| L65 | 67 | L64 and (dns (domain\$1 near2 name\$1 near2 server\$1)) | USPAT; IBM_TDB | OR | OFF | 2007/05/09 15:25 |
| L66 | 38 | L62 not L65 | USPAT; IBM_TDB | OR | OFF | 2007/05/09 15:25 |
| L67 | 344902 | (connect\$4 request\$4) near4 (map\$3 match\$3 link\$3 correspond\$3 associat\$4 predetermin\$8) | USPAT; IBM_TDB | OR | OFF | 2007/05/09 15:25 |
| L68 | 23923 | (virtual\$2) near3 (host\$2 computer\$1 machine\$1 provider\$1 server\$1 network\$3) | USPAT; IBM_TDB | OR | OFF | 2007/05/09 15:25 |
| L69 | 3707 | L68 and (firewall\$1 prox\$3) | USPAT; IBM_TDB | OR | OFF | 2007/05/09 15:25 |
| L70 | 3327 | L69 and (connect\$3 and request\$3) | USPAT; IBM_TDB | OR | OFF · | 2007/05/09 15:25 |
| L71 | 660 | L70 and (dns (domain\$1 near2 name\$1 near2 server\$1)) | USPAT; IBM_TDB | OR | OFF | 2007/05/09 15:25 |
| L72 | 501 | L71 and L67 | USPAT; IBM_TDB | OR | OFF | 2007/05/09 15:25 |
| L73 | 52628 | loadshar\$4 ((load\$2 packet\$1) near3 (shar\$3 balanc\$3 distribut\$4)) | USPAT; IBM_TDB | OR | OFF | 2007/05/09 15:25 |
| L74 | 307 | L56 and L73 | USPAT; IBM_TDB | OR | OFF | 2007/05/09 15:25 |
| L75 | 252 | L49 and L63 | USPAT; IBM_TDB | OR | OFF | 2007/05/09 15:25 |
| L76 | 363 | L53 and L73 | USPAT; IBM_TDB | OR | OFF | 2007/05/09 15:25 |
| L77 | 296 | L76 not L62 | USPAT; IBM_TDB | OR | OFF | 2007/05/09 15:25 |
| L78 | 37 | L74 and L63 | USPAT; IBM_TDB | OR | OFF | 2007/05/09 15:25 |
| L79 | 296 | L77 not L78 | USPAT; IBM_TDB | OR | OFF | 2007/05/09 15:25 |
| L80 | 291 | connect\$4 and request\$4 and L79 | USPAT; IBM_TDB | OR | OFF | 2007/05/09 15:25 |
| L81 | 551 | ((726/11) or (726/12) or (726/14) or (726/15)).CCLS. | USPAT; IBM_TDB | OR | OFF | 2007/05/09 15:25 |

| | | • | - | | | |
|------|------|--|-------------------|-----------------|-----|------------------|
| L82 | 259 | L81 and virtual\$1 | USPAT; IBM_TDB | OR | OFF | 2007/05/09 15:25 |
| L83 | 178 | L82 and (firewall\$1 prox\$3) | USPAT; IBM_TDB | OR | OFF | 2007/05/09 15:25 |
| L84 | 178 | L83 and (server\$1 host\$3 network\$3) | USPAT; IBM_TDB | OR | OFF | 2007/05/09 15:25 |
| L85 | 71 | L84 and (connect\$3 near3 request\$3) | USPAT; IBM_TDB | OR | OFF | 2007/05/09 15:25 |
| L86 | 57 | L85 and L68 | USPAT; IBM_TDB | OR | OFF | 2007/05/09 15:25 |
| L87 | 3315 | L70 and (dns (domain\$1 near2 name\$1 near2 server\$1) map\$3 match\$3 link\$3 correspond\$3 associat\$4 predetermin\$8) | USPAT; IBM_TDB | OR | OFF | 2007/05/09 15:25 |
| L88 | 2312 | L58 and (dns (domain\$1 near2 name\$1 near2 server\$1) map\$3 match\$3 link\$3 correspond\$3 associat\$4 predetermin\$8) | USPAT; IBM_TDB | OR | OFF | 2007/05/09 15:25 |
| L89 | 67 | L75 and (dns (domain\$1 near2 name\$1 near2 server\$1)) | USPAT; IBM_TDB | OR | OFF | 2007/05/09 15:25 |
| L90 | 57 | L86 and (firewall\$1 prox\$3) | USPAT; IBM_TDB | OR | OFF | 2007/05/09 15:25 |
| L91 | 1866 | virtual\$3 near3 host\$1 | USPAT; IBM_TDB | OR | OFF | 2007/05/09 15:25 |
| L92 | 149 | (connect\$4 near3 request\$4) and L79 | USPAT; IBM_TDB | OR · | OFF | 2007/05/09 15:25 |
| L93. | 142 | L80 not L92 | USPAT; IBM_TDB | OR | OFF | 2007/05/09 15:25 |
| L94 | 159 | L71 not L72 | USPAT; IBM_TDB | OR [.] | OFF | 2007/05/09 15:25 |
| L95 | 1959 | L58 and (dns (domain\$1 near2 name\$1 near2 server\$1) map\$3 match\$3 association\$1) | USPAT; IBM_TDB | OR | OFF | 2007/05/09 15:25 |
| L96 | 96 | L91 near6 set\$1 | USPAT; IBM_TDB | OR | OFF | 2007/05/09 15:25 |
| L97 | 7 | L96 with firewall\$1 | USPAT; IBM_TDB | OR | OFF | 2007/05/09 15:25 |